

APN: 123456-1234
Page Number: Invoice

Subject Property: 123 MAIN ST

APN#: 123456-1234

ANYCITY, WA 98199-2506

Ordered By:
John Smith
The Escrow Company

(123) 123-1234

Bill To: John Smith

The Escrow Company (123) 123-1234

Product DescriptionBilling TermsAmount OwedResidential NHD ReportCheck\$74.95

\$74.95

NATURAL HAZARD DISCLOSURE

The maps and data cited herein were reviewed using the assessor parcel number ("APN") and/or the physical address listed in this Report ("Property"). Not all publicly available data regarding the Property is included in this Report. No physical inspection of the Property has been performed. Therefore, MyNHD ("MyNHD") recommends a Certified Engineering Geologist or Professional Engineer be consulted to address specific concerns about the Property. This Report was prepared in accordance with, and therefore subject to, all of the conditions and limitations stated in the Report including the "Terms and Conditions" contained therein. An explanation of each category of disclosure is included later in this Report. The terms "No Map" or "Not Mapped" indicate that a disclosure map is not available from the governmental agency relative to specific disclosure in this Report. Receipt/use of this Report by recipient or any third party constitutes acceptance of the Terms and Conditions detailed at the end of this Report. This Reprt is not a policy of insurance or a warranty. Please read the Terms and Conditions carefully.

Please return bottom portion with payment. Please do not staple check to stub.

Received from:

The Escrow Company

123 MAIN ST ANYCITY, WA 98199-2506 123456-1234

Make Checks Payable to:

MyNHD, Inc. PO Box 241426 Los Angeles, CA 90024

REPORT NUMBER: 59351-112

Amount Due \$74.95





APN: 123456-1234

Page Number: 1 (Summary Page)

Details:

NATURAL HAZARD RISK DISCLOSURE

Report Summary

Subject Property: 123 MAIN ST ANYCITY, WA 98199-2506

APN: 123456-1234

| This property is located in/within: | Yes No | | Details |
|--|--|---|----------------------------|
| FEMA Flood Hazard Area | X | | Page 2 |
| Flash Floods Risk | VERY LOW | | Page 2 |
| FEMA Wildland Fire Hazard Risk Area | VERY LOW | | Page 3 |
| Damaging Earthquake | Potential | 74% OR GREATER | Page 4 |
| Earthquake Fault Zones | | Data Not Available | Page 4 |
| Sinkhole Proximity | X | | Page 4 |
| Mines Proximity | X | | Page 5 |
| Tsunami Hazard Area | X | | Page 5 |
| Tornado Risk Area | VERY LOW | | Page 5 |
| Thunderstorm Wind | VERY LOW | | Page 6 |
| Hail Risk Area | VERY LOW | | Page 6 |
| Lightning Risk | | Data Not Available | Page 6 |
| Private Airports and Small Public Airports | X | | Page 7 |
| Military Base/Airports/Landuse Disclosure | X | | Page 8 |
| Environmental Report | Included | | Page 9 |
| Radon Gas/Lead Based Paint/Mold Advisory | Included | | Page 12 |
| Points of Interest Proximity | X | Schools, Fire, Hospitals | Page 14 |
| Notice of Terms and Conditions | Included | | Page 16 |
| This Report Summary merely summarizes the research res reduce or eliminate the need to read the Report in its | | | |
| There are other statutory disclosures, determinations and legal informations and legal information. Not all publicly available data below, Buyer(s) also acknowledge(s) they have received, read, and useful information provided in this Report, and in the required notices information are available at http://cresNHD.com/booklets/lead in the required notices information are available at http://cresNHD.com/booklets/lead in the required notices information are available at http://cresNHD.com/booklets/lead in the required notices information are available at http://cresNHD.com/booklets/lead in the required notices information are available at http://cresNHD.com/booklets/lead in the required notices information are available at http://cresNHD.com/booklets/lead in the required notices in the required no | regarding the Property is inderstand this document as and booklets/information | ncluded in this Report. With their sign and the additional disclosures, detern | nature(s) ninations and |
| Signature of Buyer(s) | | Date | |
| Signature of Buyer(s) | | Date | |



APN: 123456-1234 **Page Number:** 2

NATURAL HAZARDS

| FEMA FLOOD HAZARD AREA | | | | | | | | |
|------------------------|----|---|---------------|-----------------------------------|--|--|--|--|
| SUBJECT PROPERTY | IS | X | IS NOT | LOCATED IN FEMA FLOOD HAZARD AREA | | | | |

The Federal Emergency Management Agency (FEMA) has prepared Flood Insurance Rate Maps, which delineate flood zones based on estimated flood risk. The zones pertinent to the Natural Hazard Disclosure are Zone A and V (Special Flood Hazard Areas). Zone V is for coastal areas and Zone A is for inland areas. These zones are located within A 100-year flood plain. In these areas, a 100-year flood has a one-percent chance of occurrence in any given year. Flood insurance is required by federally regulated lending institutions for the properties located within Zones A or V. Local flood control projects to mitigate flood hazard potential can change the flood risk of a specific area or property. The flood risk of a specific area or property may be updated through a Letter of Map Amendment (LOMA) or a Letter of Map Revision (LOMR) filed with FEMA. Specific updated flood risk information, not included on the Flood Insurance Rate Maps, is not provided in this Report. If a property is located within a Special Flood Hazard Area, "MyNHD" recommends contacting FEMA for the updated risk assessment of the property and the current flood insurance requirements. It should be noted that properties within a Special Flood Hazard Zone may never experience flooding, and conversely, properties not located within a Special Flood Hazard Zone may experience flooding. This disclosure is not meant to predict flooding, but rather to identify properties for which flood insurance may be required by federally regulated lending institutions. Please visit www.fema.gov for more info including specifics on the LOMA or LOMR process.

FLASH FLOOD RISK AREA

View Map

SUBJECT PROPERTY IS LOCATED IN A VERY LOW FLASH FLOOD HAZARD AREA

From the national weather service: Most flash floods are caused by slow-moving thunderstorms, or thunderstorms which move over the same area one right after the other. Flash floods generally occur within a short time period after a rain event - generally 6 hours or less. For this reason, they are more life threatening. Areas most susceptible to flash flooding are mountainous streams and rivers, urban areas, low-lying areas, storm drains, and culverts. Shown as Ordinal scale or number of incidents since 1996.



APN: 123456-1234 **Page Number:** 3

FEMA WILDLAND FIRE HAZARD AREA

View Map

SUBJECT PROPERTY IS LOCATED IN A VERY LOW WILDLAND FIRE HAZARD AREA

YOUR COUNTY KING WA RATING IS VERY LOW

A Wildfire is an unplanned fire burning in natural or wildland areas such as forests, shrub lands, grasslands, or prairies. A Wildfire Expected Annual Loss score and rating represent a community's relative level of expected building and population loss each year due to Wildfires when compared to the rest of the United States. Scores are ranked by county from Very Low, Relatively Low. Relatively Moderate, Relatively High to Very High by FEMA. For more information visit: https://hazards.fema.gov/nri/wildfire

Wildland Fire Risk Legend:

VERY LOW Expected Annual Loss
RELATIVELY LOW Expected Annual Loss
RELATIVELY MODERATE Expected Annual Loss
RELATIVELY HIGH Expected Annual Loss
VERY HIGH Expected Annual Loss



APN: 123456-1234 **Page Number:** 4

DAMAGING EARTHQUAKE

View Map

THERE IS A 74% OR GREATER CHANCE THAT A MINOR DAMAGING EARTHQUAKE COULD OCCUR IN YOUR REGION IN THE NEXT 100 YEARS

This map is not meant to alarm current or future residents of those areas but to help them prepare and reinforce their homes before the next earthquake hits. Mitigation measure might include improve the seismic resistance of nonstructural building components such as parapets, chimneys, non-load bearing walls, fire sprinkler systems, HVAC systems, suspended ceilings and lights, windows, water heaters, furnaces, air conditioners and emergency generators as well as insurance. The map and supporting documentation also are used by municipal planners to create building codes. A committee of the FEMA-funded Building Seismic Safety Council has voted to use the new model in its 2020 recommendations. Then it must be adopted by the American Society of Civil Engineers, the 2024 International Building Code and local building codes. The shaking is equivalent to Modified Mercalli Intensity VI. These water systems are divided into two categories: large and small water systems. Any water system that serves more than 1,850 residents will be classified as a large water system.

Community Water Systems are required to complete annual water-use reports and system water plans. These requirements are part of a larger set of recommendations made by the Governor's Drought Task Force in 2005. The reports and plans are intended to reduce Community Water Systems' vulnerability to drought and ensure that water providers are prepared to respond to drought or water shortage conditions.

Earthquake Damage Chance Legend:

4% to 19% 19% to 36% 36% to 74% 74% or greater

SUBJECT PROPERTY

| EARTHQUAKE FAULT ZONES - Data Not Available SUBJECT PROPERTY IS IS NOT LOCATED WITHIN 20 MILES OF A KNOWN EARTHQUAKE FAULT ZONE | |
|--|--|
| Earthquakes occur on faults, a thin zone of crushed rock separating blocks of the earth's crust. When an earthquake occurs, the rock on one side of the salips with respect to the other. Faults can be centimeters to thousands of kilometers long, and can extend deep into the earth both above and below the surface. For more information please visit: https://www.usgs.gov/science-explorer-results?es=earthquake | |
| SINKHOLE PROXIMITY | |

A sinkhole is an area of ground that has no natural external surface drainage. When it rains, the water stays inside the sinkhole and typically drains into the subsurface. Sinkholes form when rock erodes and dissolves due to contact with groundwater and run-off. Sinkholes are most common in areas containing high amounts of soft rock, such as limestone. Over time, this process may form large cavities and caves in the bedrock. When this happens, the ground above crumbles, forming a collapse sinkhole. Collapse sinkholes form very quickly and unexpectedly, sometimes swallowing homes or even roadways. For more information please visit: https://www.usgs.gov/special-topic/water-science-school/science/sinkholes

IS X IS NOT LOCATED WITHIN 2 MILES OF A KNOWN SINKHOLE



APN: 123456-1234 **Page Number:** 5

| MI | NES | PR | OX | M | ITY |
|----|-----|----|----|---|-----|
| | | | | | |

| 30BJECT PROPERTY IS IS IS NOT ESCATED WITHIN I WHELE OF A WHINE |
|--|
| |
| Mines and prospect-related symbols, such as those used to represent prospect pits, mines, adits, dumps, tailings, etc., were digitized on a state-by-state |
| basis from the USGS Historical Topographic Map Collection or acquired from available databases, California and Nevada. To date, the compilation of more |
| than 667,000 point and polygon mine symbols from approximately 94,450 maps across 45 states and the District of Columbia (DC) has been completed. |
| |

TSUNAMI HAZARD AREA

SUBJECT PROPERTY IS IS NOT LOCATED IN A TSUNAMI HAZARD AREA

SUBJECT DEODEDTY TO IS VISION LOCATED WITHIN 1 MILE OF A MINE

Tsunamis, also known as seismic sea waves (often called tidal waves), are a series of enormous waves created by an underwater disturbance such as an earthquake, landslide, volcanic eruption, or meteorite. A tsunami is a sea wave typically generated by a submarine earthquake, but may be caused by an offshore landslide or volcanic action. A large offshore earthquake, typically a magnitude 7 or greater, may generate a tsunami. Although early warning systems may provide sufficient warning from distant tsunamis, near-shore generated tsunamis may reach the coast in a matter of minutes. Therefore, homeowners should contact their local emergency management agency and become knowledgeable about tsunami warning signs and local evacuation plans.

TORNADO RISK AREA

View Map

SUBJECT PROPERTY IS LOCATED IN A VERY LOW TORNADO RISK HAZARD AREA

THERE HAVE BEEN 7 TORNADOS IN KING COUNTY WA SINCE 1980.

From NOAA - Tornadoes are one of nature's most violent storms. In an average year, about 1,000 tornadoes are reported across the United States, resulting in 80 deaths and more than 1,500 injuries. A tornado is a violently rotating column of air extending from a thunderstorm to the ground. The most violent tornadoes are capable of tremendous destruction with wind speeds of 250 mph or more. Damage paths can be in excess of one mile wide and 50 miles long.

Tornadoes come in all shapes and sizes and can occur anywhere in the U.S. at any time of the year. In the southern states, peak tornado season is March through May, while peak months in the northern states are during the summer.

Tornado Risk Legend:

VERY LOW 0 to 8 Tornados Since 1980
LOW 8 to 16 Tornados Since 1980
MODERATE 16 to 27 Tornados Since 1980
HIGH 27 to 48 Tornados Since 1980
VERY HIGH 48 to 210 Tornados Since 1980



APN: 123456-1234 **Page Number:** 6

THUNDERSTORM WIND RISK AREA

View Map

SUBJECT PROPERTY IS LOCATED IN A VERY LOW THUNDERSTORM WIND RISK HAZARD AREA

THERE HAVE BEEN 2 WIND DAMAGING EVENTS IN KING COUNTY WA SINCE 1980.

Damaging wind from thunderstorms is much more common than damage from tornadoes. In fact, many confuse damage produced by "straight-line" winds and often erroneously attribute it to tornadoes. There are two types of thunderstorm winds: 1) those associated with the UPDRAFT, and 2) winds associated with the DOWNDRAFT, creating Strong wind gusts in excess of 57.5 mph. In fact, Strong thunderstorm winds can exceed 100 mph and cause damage equal to a tornado. Wind gusts can be further classified as one of the following severe weather wind phenomena Straight-line winds, Microbursts, Macrobursts and Derechos. A derecho is made up of a "family of downburst clusters" and by definition must be at least 240 miles in length. Data includes damaging events which means one storm can create multiple events within and across a number of counties.

More info https://mrcc.purdue.edu/living wx/thunderstorms/index.html

Thunderstorm Wind Risk Legend:

VERY LOW 0 to 50 Wind Damaging Events Since 1980
LOW 50 to 120 Wind Damaging Events Since 1980
MODERATE 120 to 200 Wind Damaging Events Since 1980
HIGH 200 to 360 Wind Damaging Events Since 1980
VERY HIGH 360 to 1160 Wind Damaging Events Since 1980

HAIL RISK AREA View Map

SUBJECT PROPERTY IS LOCATED IN A VERY LOW HAIL RISK HAZARD AREA

THERE HAVE BEEN 1 HAIL STORMS IN KING COUNTY WA SINCE 1980.

Hailstorms are much more likely to form than tornadoes and are among the most expensive weather events in the U.S., often causing more damage than hurricanes, and computer models predict that due to warming temperatures, severe storms will become more intense.

Hail-producing thunderstorms are shown from NOAA databases of hail reports from 1980 to present. Hail at least one inch in diameter is enough to justify a severe thunderstorm warning from the National Weather Service and that is the criteria used to produce this data map below. While the data is not perfect there is at least some evidence that the largest, most destructive hailstones could become more common in those area shown on the map. Climate-model projections indicate this apparent enlargement trend may continue in at least some hail-prone areas as the century unfolds.

Damaging Hail Exposure Risk Legend:

VERY LOW 0 to 10 Hail Storms Since 1980
LOW 10 to 30 Hail Storms Since 1980
MODERATE 30 to 40 Hail Storms Since 1980
HIGH 40 to 140 Hail Storms Since 1980
VERY HIGH 140 to 1030 Hail Storms Since 1980

LIGHTNING RISK - Data Not Available

SUBJECT PROPERTY IS IS NOT LOCATED IN A LIGHNING RISK AREA

A lightning strike is an electric discharge between the atmosphere and an earth-bound object. Lightning Ground Strikes are those that hit the ground. They account for more than one billion dollars annually in structural damage to buildings in the U.S. Lightning Ground Strikes can cause structure fires (hit a building) or wildfires (major source of wildfire ignition).



APN: 123456-1234 **Page Number:** 7

PRIVATE AIRPORTS AND SMALL PUBLIC AIRPORTS

| SUBJECT PROPERTY | | IS | Χ | IS NOT | LOCATED WITHIN 2 MILES OF AN AIRPORT |
|------------------|--|----|---|--------|--------------------------------------|
|------------------|--|----|---|--------|--------------------------------------|

This property is presently located within 2 miles of an airport. For that reason, the property may be subject to some of the annoyances or inconveniences associated with proximity to airport operations (for example: noise, vibration, or odors). You may wish to consider what airport annoyances, if any, are associated with the property and determine whether they are acceptable to you.



APN: 123456-1234 **Page Number:** 8

| MILITARY BASE DISCLOSURE |
|--|
| SUBJECT PROPERTY IS X IS NOT LOCATED WITHIN 2 MILES OF A MILITARY BASE |
| This property is presently located within 2 miles of a Military Base. For that reason, the property may be subject to some of the annoyances or nconveniences associated with proximity to Military Base operations (for example: noise, vibration, or odors). You may wish to consider what annoyances, f any, are associated with the property and determine whether they are acceptable to you. |
| MILITARY AIRPORT/LANDUSE DISCLOSURE (AICUZ/JLUS) |
| SUBJECT PROPERTY IS X IS NOT LOCATED IN A MILITARY AIRPORT "AICUZ" ZONE |
| SUBJECT PROPERTY IS X IS NOT LOCATED IN A MILITARY LANDUSE "JLUS" ZONE |
| |

This property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.



APN: 123456-1234 **Page Number:** 9

ENVIRONMENTAL REPORT

Federal and state databases list numerous sites that have actual or potential environmental contamination associated with them. This Report identifies whether the subject property is located within a specific distance from sites listed within these databases. However, these databases are not all-inclusive and may be inaccurate; some environmental hazards have not yet been located or their location has been inaccurately recorded in the database. There may be errors or inaccuracies in the databases. Moreover, not all properties containing environmental contamination are listed in these databases. There are additional environmental concerns that may affect the subject property. Although data for these concerns are not provided in databases, brief descriptions of them are provided below. It should be noted that this does not constitute a complete listing of all environmental concerns. Therefore, no representations or warranties, express or implied, are made in connection with the provision of environmental data within this Report, and all implied warranties are disclaimed. This Report is not a substitute for a Phase I Environmental Assessment. All of the Terms and Conditions applicable to this Report are equally applicable to the Environmental Report and are incorporated herein by reference.

| | | | DISTANCE SEARCH | |
|---|-----|----|-----------------|----------------|
| SUBJECT PROPERTY IS IN PROXIMITY TO: | YES | NO | FROM PROPERTY | DETAILS |
| Brownfield Risk | | X | 500 Feet | <u>Page 10</u> |
| Superfund Site | | X | 2,500 Feet | <u>Page 10</u> |
| Radiation Site | | X | 1 Mile | <u>Page 10</u> |
| Formerly Used Defense Site (FUDS) | | X | 1 Mile | <u>Page 10</u> |
| RCRA Corrective Action Site | | X | 1 Mile | <u>Page 10</u> |
| Landfill and/or Solid Waste Disposal Site | | X | 1 Mile | <u>Page 11</u> |
| Leaking Underground Storage Take ("LUST") | | X | 1/2 Mile | <u>Page 11</u> |



BROWNFIELD RISK

hwcorrectiveactionsites

Report Date: 2/21/2024 Report Number: 59351-112 Subject Property: 123 MAIN ST

APN: 123456-1234 **Page Number:** 10

| SUBJECT PROPERTY SUBJEC |
|--|
| Brownfield is a term used in urban planning to describe land previously used for industrial purposes or some commercial uses. Such land may have been contaminated with hazardous waste or pollution or is feared to be so. Property is considered in a Brownfield Site if it is < 500 feet from a known Brownfield site. |
| SUPERFUND SITE SUBJECT PROPERTY IS X IS NOT LOCATED WITHIN 2,500 FEET FROM A KNOWN SUPERFUND SITE |
| Superfund sites are polluted locations requiring a long-term response to clean up hazardous material contaminations. |
| RADIATION SITES SUBJECT PROPERTY IS X IS NOT LOCATED WITHIN 1 MILE OF A KNOWN RADIATION SITE |
| The Radiation Information Database (RADINFO) contains basic information about certain facilities that the U.S. Environmental Protection Agency (EPA) regulates for radiation and radioactivity. The regulations that govern radiation across the federal government are complex, and, therefore, RADINFO may not include every facility you might expect to find. For more information see: https://www.epa.gov/enviro/radinfo-overview |
| FUDS (Formerly Used Defense Sites) Disclosure SUBJECT PROPERTY IS X IS NOT LOCATED WITHIN 1 MILE OF A FORMERLY USED DEFENSE SITE |
| Formerly Used Defense Sites or FUDS, Military Munitions Response Program MMRP |
| The objective of the Military Munitions Response Program (MMRP) is to reduce the risk to human health, safety and the environment caused by military munitions-related hazards and contamination that may have resulted from past Department of Defense activities. There are four main phases in the MMRP — Preliminary Assessment, Site Inspection, Remedial Investigation/Feasibility Study and Remedial Design / Remedial Action. |
| The MMRP program prioritizes sites for cleanup based on risk to human health and the environment. The Army maintains an inventory of its munitions response sites and assigns a relative priority to each. Munitions response sites within the DoD's MMRP will not be completed for several decades. |
| RCRA Corrective Action Sites Disclosure SUBJECT PROPERTY IS X IS NOT LOCATED WITHIN 1 MILE OF A KNOWN CORRECTIVE ACTION SITE |
| EPA, states, and territories work with facilities that treat, store, or dispose of hazardous wastes to investigate and clean up hazardous releases at their facilities in accordance with state and federal requirements. States and territories are authorized by EPA to lead Corrective Action Programs if EPA determines that a state's program is equivalent to the federal program. EPA leads cleanups with federal cleanup orders or at the state's request. Corrective |

actions are largely enforced through statutory authorities established by the Resource Conservation and Recovery Act (RCRA). https://www.epa.gov/



APN: 123456-1234 **Page Number:** 11

Landfill and/or Solid Waste Disposal Site Disclosure

| SUBJECT PROPERTY | ☐ IS | Х | IS NOT | LOCATED WITHIN 1 MILE OF A LANDFILL AND/OR SOLID WASTE DISPOSAL SITE |
|------------------------|-----------|----------|------------|---|
| The Solid Waste Inform | ation con | itains d | data on so | olid waste facilities, operations, and disposal sites provided by the individual states. Types of facilit |

The Solid Waste Information contains data on solid waste facilities, operations, and disposal sites provided by the individual states. Types of facilities include transfer stations, composting sites, landfills, material recovery sites, waste tire sites, as well as closed disposal sites. Effective solid waste management is a cooperative effort involving federal, state, regional, and local entities. Thus, the RCRA's Solid Waste program section D encourages the environmental departments of each state to develop comprehensive plans to manage nonhazardous industrial and municipal solid waste. Contact your State Solid Waste Regulatory Authority for more information.

LEAKING UNDERGROUND STORAGE TANKS ("LUST")

| SUBJECT PROPERTY | | IS | Χ | IS NOT | LOCATED WITHIN 1/2 MILE OF A LEAKING UNDERGROUND STORAGE TANK ("LUST") | |
|------------------|--|----|---|--------|--|--|
|------------------|--|----|---|--------|--|--|

The State's Leaking Underground Storage Tank Information System identifies properties shown on a government list to have a leaking fuel tank. In some cases, above ground storage tanks are included. This database is provided by the individual state which works with local agencies such as water districts, fire departments and health departments for permitting as well as monitoring for groundwater pollution. The greatest potential hazard from a leaking tank is that the petroleum or other hazardous substance can seep into the soil and contaminate groundwater, the source of drinking water for nearly half of all Americans. Check with your state LUST program.



APN: 123456-1234 **Page Number:** 12

RADON GAS ADVISORY

THE COUNTY IN WHICH THE SUBJECT PROPERTY IS LOCATED IS DESIGNATED ZONE 3 FOR RADON GAS POTENTIAL

Radon is a gas that is produced from the radioactive decay of uranium and thorium found in certain rock and soil types. Radon, an odorless and colorless gas, can move from the soil into buildings. Exposure to concentrated levels of radon can increase a person's risk of developing lung cancer.

The Highest Radon Potential, Zone 1, is set at 4.0pCi/l and above by the U.S. Environmental Protection Agency ("EPA"). Moderate Radon Potential, Zone 2, is set at between 2.0pCi and 4.0pCi/l. Low Radon Potential, Zone 3, is set at less than 2.0pCi/l. The EPA recommends indoor radon testing for all homes and recommends radon reduction measures for homes with radon levels of 4.0pCi/l and above. Radon testing kits can be purchased by homeowners or homeowners can hire contractors to provide the testing. For more information please visit https://cresNHD.com/booklets/MyNHD-RadonInformation-National.pdf.

LEAD BASED PAINT DISCLOSURE

Every purchase of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The Seller of any interest in residential real property is required to provide the Buyer with any information on lead-based paint hazards from risk assessments or inspections in the Seller's possession and notify the Buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

MOLD DISCLOSURE

Every purchase of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The Seller of any interest in residential real property is required to provide the Buyer with any information on lead-based paint hazards from risk assessments or inspections in the Seller's possession and notify the Buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Mold only needs a food source (any organic material such as wood, paper, dirt or leaves) and moisture to grow. There are many potential food sources for mold in homes. Therefore, preventing excess moisture is the key to preventing mold growth. Excess moisture can come from many sources, including flooding, plumbing or roof leaks, lawn sprinklers hitting the house, air conditioner condensation, humidifiers, overflow from sinks and sewers, steam, and wet clothes drying indoors. Be sure to inspect the Property for sources of excess moisture, current water leaks and evidence of past water damage. Once mold is found and the contaminated area properly cleaned up, mold growth is likely to recur unless the source of moisture is also eliminated.

If it is suspected that the Property has a mold problem, be sure to have a qualified inspector conduct a more thorough inspection. All areas contaminated with mold should be properly and thoroughly remediated.



APN: 123456-1234 **Page Number:** 13

Notice of Noise Pollution

Environmental sounds that impede daily activities are considered noise pollution. Sources of noise that can diminish the quality of life include automobile traffic, trains, aircraft and construction operations. Health effects from noise pollution can include stress related illnesses, sleep loss, high blood pressure, and even hearing loss. For more information: www.epa.gov/air/noise.html.

Notice of Air Pollution

The burning of fossil fuels in automobiles, trucks, and industrial concerns contributes to reduced air quality. Ultraviolet light in the atmosphere acts on the traffic and industrial emissions to create photochemical smog. Air pollution can affect the respiratory system and cardiovascular system in the human body. It is an increased risk factor in respiratory infections, heart disease, and lung cancer. Asthma can be exacerbated by air pollution. For more information: www.epa.gov/air/urbanair.

Notice of Electrical and Magnetic Fields ("EMF")

Electrical and magnetic fields ("EMF") are natural forces caused by electricity. Sources of EMF include high voltage transmission lines, distribution lines, and household electronic devices. Health concerns from EMF have been studied. According to the EPA and the California Department of Public Health ("CDPH") these studies do not show a clear pattern of health hazards. However, the CDPH provides information regarding decreases of EMF at given distances. They indicate that the EMF from household electronic device decreases to background levels at a distance of 3 to 4 feet. The EMF from electricity distribution lines decreases to background levels at a distance of 60 to 200 feet. The EMF from high voltage transmission lines decreases to background levels at a distance of 300 to 1000 feet. For more information: http://www.epa.gov/radtown/power-lines.html.

Notice of Light Pollution

Street lights, lighted commercial signs, and commercial buildings are examples of unnatural light that may diminish quality of life. An overly bright night time environment may cause sleep deprivation and may reduce scenic views. For more information: http://en.wikipedia.org/wiki/Light_pollution.



NEARBY SCHOOLS PROXIMITY

Report Date: 2/21/2024 Report Number: 59351-112 Subject Property: 123 MAIN ST

APN: 123456-1234 **Page Number:** 14

POINTS OF INTEREST PROXIMITY (POI)

View POI Map

| The following schools have been identified as being assigned for residents of the subject property. Buyer is encouraged to research the ranking of said schools. Nearby School Name, Address Our Lady of Fatima School, 3301 W Dravus St, Seattle 0.25 Catharine Blaine K-8, 2550 34th Ave W, Seattle 0.044 Kagleidoscope School, 3312 W Lynns St, Seattle 0.064 Magnolia Elementary Pta 6.152, 2418 28th Ave W, Seattle 0.076 Lawton Elementary School, 4000 27th Ave W, Seattle 0.90 Media School, 3210 16th Ave W, Seattle 1.129 Adams Elementary School, 1010 28th Ave NW, Seattle 1.25 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.85 Starpath School of Navigation, 3050 NW 63rd St, Seattle 1.86 Coe Elementary School, 2424 7th Ave W, Seattle 1.89 Ballard High School Ptsa , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Share Education Internationals, , Seattle 1.96 Share Education Internationals, , Seattle 1.96 Share Education Internationals, , Seattle 1.96 Seattle Fire Department Station 41, 2416 34th Ave W, Seattle 1.32 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.33 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle South Effice Department Station 18, 1521 NW Market St, Seattle South Effice Department Station 18, 1521 NW Market St, Seattle South Effice Department Station 18, 1521 NW Market St, Seattle South Effice Department Station 18, 1521 NW Market St, Seattle | SUBJECT PROPERTY X IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN SCHOOL | | | | | | |
|--|--|---|--|--|--|--|--|
| Our Lady of Fatima School, 3301 W Dravus St, Seattle Catharine Blaine K-8, 2550 34th Ave W, Seattle Aleidoscope School, 3312 W Lynn St, Seattle Magnolia Elementary Pta 6.152, 2418 28th Ave W, Seattle Aleidoscope School, 3312 W Lynn St, Seattle Magnolia Elementary School, 4000 27th Ave W, Seattle Lawton Elementary School, 4000 27th Ave W, Seattle Dementary School, 4000 27th Ave W, Seattle Dementary School, 4000 27th Ave W, Seattle Dementary School, 6110 28th Ave NW, Seattle Desembly School, 6100 28th Ave NW, Seattle Desembly School, 610 | | is encouraged to research the ranking of said | | | | | |
| Catharine Blaine K-8, 2550 34th Ave W, Seattle Alaeidoscope School, 3312 W Lynn St, Seattle O.64 Magnolia Elementary Pta 6.152, 2418 28th Ave W, Seattle O.90 Media School, 3210 16th Ave W, Seattle 1.29 Adams Elementary School, 6110 28th Ave NW, Seattle 1.29 Adams Elementary School, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.86 Seattle Preparatory School, 1005 W Garfield St, Seattle Seattle Preparatory School, 1005 W Garfield St, Seattle 1.88 Coe Elementary School, 2424 7th Ave W, Seattle 1.89 Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 FIRE STATIONS PROXIMITY SUBJECT PROPERTY IS IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Seattle Fire Department Station 41, 2416 34th Ave W, Seattle 2.32 Seattle Fire Department Station 3, 1735 W Thurman, Seattle 2.32 Seattle Fire Department Station 20, 2800 15th Ave W, Seattle 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.39 POLICE STATIONS PROXIMITY | Nearby School Name, Address | Distance (in miles) from Subject Property | | | | | |
| Kaleidoscope School, 3312 W Lynn St, Seattle Magnolia Elementary Pta 6.152, 2418 28th Ave W, Seattle Lawton Elementary School, 4000 27th Ave W, Seattle 0.90 Media School, 3210 16th Ave W, Seattle 1.29 Adams Elementary School, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.86 Seattle Preparatory School, 1005 W Garfield St, Seattle Seattle Preparatory School, 1005 W Garfield St, Seattle Coe Elementary School, 2424 7th Ave W, Seattle 1.89 Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Share Education Internationals, , Seattle 1.96 Seattle Property Is Is Is NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Pries Station Name, Address Seattle Fire Department Station 41, 2416 34th Ave W, Seattle 2.58 Seattle Fire Department Station 3, 1735 W Thurman, Seattle 3.37 Seattle Fire Department Station 120, 2800 15th Ave W, Seattle 3.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 4.39 POLICE STATIONS PROXIMITY POLICE STATIONS PROXIMITY | Our Lady of Fatima School, 3301 W Dravus St, Seattle | 0.25 | | | | | |
| Magnolia Elementary Pta 6.152, 2418 28th Ave W, Seattle Lawton Elementary School, 4000 27th Ave W, Seattle Media School, 3210 16th Ave W, Seattle 1.29 Adams Elementary School, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.86 Seattle Preparatory School, 1005 W Garfield St, Seattle 1.88 Cee Elementary School, 1005 W Garfield St, Seattle 1.89 Ballard High School Ptsa, Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Seattle Preparatory School, 2424 7th Ave W, Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Seattle Fire Department Station Sproyerty. The closest fire station is 0.58 miles away. Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Pire Station Name, Address Distance (in miles) from Subject Property Seattle Fire Department Station 41, 2416 34th Ave W, Seattle 1.32 Seattle Fire Department Station 20, 2800 15th Ave W, Seattle 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY | Catharine Blaine K-8, 2550 34th Ave W, Seattle | 0.44 | | | | | |
| Lawton Elementary School, 4000 27th Ave W, Seattle 1.29 Media School, 3210 16th Ave W, Seattle 1.29 Adams Elementary School, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.86 Seattle Preparatory School, 1005 W Garfield St, Seattle 1.86 Seattle Preparatory School, 1005 W Garfield St, Seattle 1.89 Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Shar Education Internationals, , Seattle 1.96 FIRE STATIONS PROXIMITY SUBJECT PROPERTY X IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Distance (in miles) from Subject Property Seattle Fire Department Station 41, 2416 34th Ave W, Seattle 1.32 Seattle Fire Department Station 20, 2800 15th Ave W, Seattle 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.89 POLICE STATIONS PROXIMITY | Kaleidoscope School, 3312 W Lynn St, Seattle | 0.64 | | | | | |
| Media School, 3210 16th Ave W, Seattle Adams Elementary School, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.86 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.86 Seattle Preparatory School of Navigation, 3050 NW 63rd St, Seattle 1.88 Coe Elementary School, 2424 7th Ave W, Seattle 1.89 Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Share Education Internationals, , Seattle 1.96 Seattle Property | Magnolia Elementary Pta 6.152, 2418 28th Ave W, Seattle | 0.76 | | | | | |
| Adams Elementary School, 6110 28th Ave NW, Seattle 1.85 Seattle Public Schools, 6110 28th Ave NW, Seattle 1.85 Starpath School of Navigation, 3050 NW 63rd St, Seattle 1.86 Seattle Preparatory School, 1005 W Garfield St, Seattle 1.88 Coe Elementary School, 2424 7th Ave W, Seattle 1.89 Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 FIRE STATIONS PROXIMITY SUBJECT PROPERTY IN IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Distance (in miles) from Subject Property Seattle Fire Department Station 41, 2416 34th Ave W, Seattle 1.32 Seattle Fire Department Station 20, 2800 15th Ave W, Seattle 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.89 POLICE STATIONS PROXIMITY | Lawton Elementary School, 4000 27th Ave W, Seattle | 0.90 | | | | | |
| Seattle Public Schools, 6110 28th Ave NW, Seattle 1.85 Starpath School of Navigation, 3050 NW 63rd St, Seattle 1.86 Seattle Preparatory School, 1005 W Garfield St, Seattle 1.88 Coe Elementary School, 2424 7th Ave W, Seattle 1.89 Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 FIRE STATIONS PROXIMITY SUBJECT PROPERTY | Media School, 3210 16th Ave W, Seattle | 1.29 | | | | | |
| Starpath School of Navigation, 3050 NW 63rd St, Seattle Seattle Preparatory School, 1005 W Garfield St, Seattle Coe Elementary School, 2424 7th Ave W, Seattle Ballard High School Ptsa, , Seattle Sahar Education Internationals, , Seattle TIPE STATIONS PROXIMITY SUBJECT PROPERTY IS IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle POLICE STATIONS PROXIMITY POLICE STATIONS PROXIMITY POLICE STATIONS PROXIMITY | Adams Elementary School, 6110 28th Ave NW, Seattle | 1.85 | | | | | |
| Seattle Preparatory School, 1005 W Garfield St, Seattle Coe Elementary School, 2424 7th Ave W, Seattle Ballard High School Ptsa, , Seattle Sahar Education Internationals, , Seattle 1.96 FIRE STATIONS PROXIMITY SUBJECT PROPERTY X IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Pistance (in miles) from Subject Property Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle 1.32 Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY | Seattle Public Schools, 6110 28th Ave NW, Seattle | 1.85 | | | | | |
| Coe Elementary School, 2424 7th Ave W, Seattle Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 FIRE STATIONS PROXIMITY SUBJECT PROPERTY Is IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Distance (in miles) from Subject Property Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY | Starpath School of Navigation, 3050 NW 63rd St, Seattle | 1.86 | | | | | |
| Ballard High School Ptsa, , Seattle 1.96 Sahar Education Internationals, , Seattle 1.96 FIRE STATIONS PROXIMITY SUBJECT PROPERTY X IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Distance (in miles) from Subject Property Seattle Fire Department Station 41, 2416 34th Ave W, Seattle 0.58 Seattle Fire Department Station 3, 1735 W Thurman, Seattle 1.32 Seattle Fire Department Station 20, 2800 15th Ave W, Seattle 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.89 POLICE STATIONS PROXIMITY | Seattle Preparatory School, 1005 W Garfield St, Seattle | 1.88 | | | | | |
| FIRE STATIONS PROXIMITY SUBJECT PROPERTY X IS SNOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY | Coe Elementary School, 2424 7th Ave W, Seattle | 1.89 | | | | | |
| FIRE STATIONS PROXIMITY SUBJECT PROPERTY X IS SNOT LOCATED WITHIN 2 MILES OF A KNOWN FIRE STATION Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY | Ballard High School Ptsa, , Seattle | 1.96 | | | | | |
| Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. Fire Station Name, Address Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY | Sahar Education Internationals, , Seattle | 1.96 | | | | | |
| Fire Station Name, Address Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY Distance (in miles) from Subject Property 0.58 1.32 1.37 1.37 1.39 POLICE STATIONS PROXIMITY | | ON | | | | | |
| Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY 0.58 1.32 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.89 | Public records located 4 fire stations for this property. The closest fire station is 0.58 miles away. | | | | | | |
| Seattle Fire Department Station 41, 2416 34th Ave W, Seattle Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY 0.58 1.32 1.37 Seattle Fire Department Station 18, 1521 NW Market St, Seattle 1.89 | Fire Station Name. Address | Distance (in miles) from Subject Property | | | | | |
| Seattle Fire Department Station 3, 1735 W Thurman, Seattle Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY 1.32 1.37 1.89 | · · · · · · · · · · · · · · · · · · · | | | | | | |
| Seattle Fire Department Station 20, 2800 15th Ave W, Seattle Seattle Fire Department Station 18, 1521 NW Market St, Seattle POLICE STATIONS PROXIMITY 1.37 1.89 | | | | | | | |
| POLICE STATIONS PROXIMITY 1.89 | | | | | | | |
| | | 1.89 | | | | | |
| | | | | | | | |
| SUBJECT PROPERTY IS IS NOT LOCATED WITHIN 2 MILES OF A KNOWN POLICE STATION | POLICE STATIONS PROXIMITY | | | | | | |
| | | | | | | | |



APN: 123456-1234 **Page Number:** 15

HOSPITALS PROXIMITY

| SUBJECT PROPERTY | X | IS | | IS NOT | LOCATED WITHIN 2 MILES OF A KNOWN HOSPITAL |
|------------------|---|----|--|--------|--|
|------------------|---|----|--|--------|--|

Public records located 18 hospitals for this property. The closest hospital is 0.59 miles away.

| Hospital Name, Address | Distance (in miles) from Subject Property |
|---|---|
| Matthew P Yuskaitis, M.D., 2450 33rd Ave W, Seattle | 0.59 |
| Rebel Medical Nortwest, 5401 Leary Ave NW, Seattle | 1.65 |
| UW Medicine Primary & Specialty Care Center at Ballard, 1455 NW Leary Way, Seattle | 1.70 |
| Kaiser Permanente Ballard Medical, 1401 NW 46th St, Seattle | 1.71 |
| Swedish Anticoagulation Clinic-Ballard, 5300 Tallman Ave NW, Seattle | 1.77 |
| Swedish Ballard Medical Treatment Center, 5300 Tallman Ave NW, Seattle | 1.77 |
| Swedish Medical Addiction Recov Center, 5300 Tallman Ave NW, Seattle | 1.77 |
| Swedish Medical Center Ballard Campus, 5300 Tallman Ave NW, Seattle | 1.77 |
| Swedish Women's Imaging Center-Ballard, 5300 Tallman Ave NW, Seattle | 1.77 |
| Swedish Endoscopy Center-Ballard, 5300 Tallman Ave NW, Seattle | 1.78 |
| Swedish Nutrition Care Clinic-Ballard, 5300 Tallman Ave NW, Seattle | 1.78 |
| Swedish Ballard OB/GYN Specialists, 5350 Tallman Ave NW, Seattle | 1.78 |
| Swedish Gastroenterology-Ballard, 5350 Tallman Ave NW, Seattle | 1.78 |
| Swedish Neuroscience Specialists-Ballard, 5350 Tallman Ave NW, Seattle | 1.78 |
| Swedish Primary Care-Ballard, 5350 Tallman Ave NW, Seattle | 1.78 |
| MyNHD discloses a maximum of 15 hospitals within a 2-mile radius of subject property. | |
| Please contact MyNHD for additional details. | |
| MyNHD discloses a maximum of 15 hospitals within a 2-mile radius of subject property. | |
| Places contact MyNHD for additional datails | |

Please contact MyNHD for additional details.

MyNHD discloses a maximum of 15 hospitals within a 2-mile radius of subject property.

Please contact MyNHD for additional details.

LIBRARIES PROXIMITY



APN: 123456-1234 **Page Number:** 16

TERMS AND CONDITIONS

- 1. This MyNHD Natural Hazard Disclosure Report ("Report") was prepared by MyNHD, Inc. ("MyNHD"). This Report was prepared solely for one transaction as described on page 1 (collectively, the "Transaction"). This Report may be used solely between this seller and this buyer for that single Transaction related to the property address and assessor's parcel number ("Property") provided to MyNHD.
- 2. Only the seller, buyer, listing agent/broker and selling agent/broker, if any, and settlement agent involved in the Transaction (collectively, the "Recipients") may use and rely on this Report and only after they have paid in full for the Report. Neither lenders nor subsequent buyers of the Property may use or rely on this Report. There are no third party beneficiaries to this Report even if they have a foreseeable relationship with any of the Recipients, or with the Property. This Report is time-sensitive; its information is accurate only as of the date referenced on Page 1 (the "Effective Date"). Taxes, governmental legislation and other matters affecting the Property after the Effective Date are not disclosed, and MyNHD expressly disclaims any duty to supplement this Report to disclose any taxes, legislation, changes or charges becoming effective after the Effective Date. If the Transaction does not close within a reasonable time after the Effective Date, MyNHD strongly recommends that a new report be ordered.
- 3. This Report may not be used in conjunction with any Natural Hazard Disclosure Statement ("NHDS") other than the NHDS issued as part of this Report. This Report may have an effect on the value of the Property; nevertheless, this Report may not be used in connection with any appraisal or valuation of the Property, or for any other valuation purposes. This Report is protected by copyright, trademark and other intellectual property laws and may not be copied or reproduced in any manner. Violators will be prosecuted as permitted by law.
- 4. MyNHD has not visually inspected the Property. Instead, this Report refers specifically to certain records, statutes and other information provided by various governmental agencies and third parties. MyNHD has no way to verify the accuracy or completeness of this information, but has assumed the information is accurate and complete. If such information is not accurate or complete, MyNHD cannot and shall not be liable or responsible for such omissions or inaccuracies. MyNHD further shall not be liable or responsible for omissions or inaccuracies in the Report that the Recipients, or any of them, knew or should have known as of the Effective Date. This Report does not disclose whether the Property is contaminated with hazardous substances.
- 5. There may be other disclosures required by law in the State where the Property is located; MyNHD makes no representations or warranties as to the adequacy or accuracy of any other representations, warranties or disclosures required under other such laws. MyNHD shall not be liable or responsible for failing to disclose any matters not known to MyNHD, not shown on the maps used by MyNHD, not recorded in the public record as of the Effective Date, or not included within the categories of items included in the Report. MyNHD's total liability and responsibility to any Recipient for any liabilities, causes of action, claim or claims, including but not limited to any claim for breach of contract or negligence, shall be for actual proven damages measured by the difference in fair market value of the Property on the Effective Date, if any, caused by MyNHD's error. Any action initiated relative to the Report shall be governed by the laws of the State of California without regard to conflicts of law principles. In the event of any error, omission or inaccuracy in the MyNHD Report for which MyNHD is liable, MyNHD shall reserve the right to defend or pay any attorneys' fees, costs or expenses incurred by the Recipients, or any of them. The Recipients, and each of them, expressly waive the benefits of Civil Code Section 277.
- 6. Recipients are encouraged to contact a local insurance agent regarding earthquake insurance, fire insurance and flood insurance. Recipients also may contact the National Flood Insurance Program regarding flood insurance. If there is a dispute involving a FEMA flood determination, MyNHD shall obtain a "Flood Certificate" from a flood insurance company admitted and licensed to do business in the State where the Property is located. The determination shown on the Flood Certificate shall be final and binding as to whether the Property is or is not in Zone "A" or "V" as shown on Flood Insurance Rate Map panels. MyNHD is not and shall not be responsible or liable for any costs, losses, or compensatory or consequential damages arising from earthquakes, fires or floods.
- 7. If the Transaction involves multiple adjacent parcels, the parcel shown on Page 1 of this Report is regarded as the "Primary Parcel," and the disclosures contained in the Report operate as if only a single parcel is involved. In other words, even if a matter affects only one parcel, it will be disclosed as affecting all of the parcels. For parcel-by-parcel disclosures, individual reports must be ordered separately for each parcel. With regard to tax information said data is provided only for the Primary Parcel.



APN: 123456-1234 **Page Number:** 17

8. If included, the maximum tax amounts specified in this Report are estimates only, calculated based on available third party data. MyNHD does not review of the relevant recorder's or other jurisdictions' files to determine the presence of any other taxes or assessments affecting the Property. The levy amounts are subject to change for many reasons, including different interpretations of the Special Tax Formula, availability of data, and changes or corrections to classifications from year-to-year. The Report provides an estimate of items not included on the current tax bill, but the estimates are not comprehensive. For example, there may exist taxes and assessments which have not yet been levied on the tax bill or during the tax year described in the Report. MyNHD updates its information annually reasonably after updated information is released. Assessment districts also are subject to change, and therefore, this Report cannot be used or relied upon for nearby properties or future transactions involving this Property. Each Recipient is encouraged to contact the appropriate agents representing the local taxing authority with any specific questions they may have.

9. This Report discloses certain earthquake zones, flood zones, fire zones, and special tax assessment matters. Nothing in this Report relates to (a) title or title defects, (b) encroachments, geological issues or matters that would be disclosed by a land surveyor, soil survey or geological survey, (c) land use or zoning related matters, (d) parcel maps or subdivisions, (e) compliance with the Americans with Disabilities Act, local building codes or other federal, state or local laws, ordinances or restrictions that may affect the Property, (f) the use, occupancy or development of the Property, including any restrictions resulting from any state, local or federal governmental agency, such as school districts, water districts, joint power districts, or flood control districts, (g) building permits or any other permits that may be required for the Property or its current or future anticipated uses, or (h) any other matter potentially affecting the Property.

10. BY SIGNING, ACCEPTING OR USING THE NATURAL HAZARD DISCLOSURE STATEMENT OR THIS REPORT, THE RECIPIENTS, AND EACH OF THEM AND THEIR AGENTS AND REPRESENTATIVES, HEREBY ACKNOWLEDGE AND AGREE (AND SHALL BE DEEMED TO HAVE ACKNOWLEDGED AND AGREED) THAT THEY HAVE REVIEWED, APPROVED AND ACCEPTED ALL OF THE TERMS, CONDITIONS AND LIMITATIONS CONTAINED HEREIN. MYNHD SHALL NOT BE LIABLE OR RESPONSIBLE FOR ANY INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION LOST PROFITS OR ANY REDUCTION IN THE VALUE OF THE PROPERTY, ARISING OUT OF OR RELATED TO THE PREPARATION, ISSUANCE, USE OF OR RELIANCE UPON THIS REPORT, EVEN IF SUCH DAMAGES ARE FORESEEABLE.

11. MyNHD hereby agrees to indemnify the Owner or Seller, real estate broker(s) and agent(s), HCD dealer(s) and HCD salesperson(s), transaction coordinator(s), the escrow company, and/or settlement agent(s) and each of their respective employees, including office managers, ordering this Report as covered by our Professional Liability Insurance Policy for damages to the extent they are caused by our negligent acts, errors or omissions in the performance of our services and subject to the limitations of this Report. The Owner or Seller, real estate broker(s) and agent(s), HCD dealer(s) and HCD salesperson(s), transaction coordinator(s), the escrow company, and/or settlement agent(s) and each of their respective employees, including office managers, will not be liable for any error in this information as long as ordinary care is exercised in transmitting it. (Cal. Civ. Code §1102.4.)

CRES A Gallagher Affinity Division Make check payable to: ertiticate SELLER'S PROTECTION PLAN Selling your home doesn't end at the sale. Protecting yourself is important and by listing your home with an experienced professional, you've chosen an insured plan that covers you even after your real estate transaction. Close of Escrow Date: The Seller's Protection Plan, administered by CRES A Gallagher Affinity Division, provides you coverage for up to 180 days after your escrow closes. In the event of any inadvertent errors and omissions related to the sale of your home, you'll receive up to \$25,000, including defense costs, which you would be legally obligated to pay in the event of a claim. Seller's Name(s) Detach this section and return it with your payment Property Address City / State / Zip Address of Property Sold: Real Estate Company: Seller's New Address: Real Estate Company / Agent Closing Date SPP coverage afforded to members of the Real Estate Services Council Risk Purchasing Group and is written through A-rated or better insurance carriers, *\$2,500 retention applies. Coverage subject to the terms, conditions and exclusions of the policy.

2,500 deductible applies. Coverage subject to the terms, conditions and exclusions of the pol

Please mail your completed enrollment form and payment to:

AJG RMS INC CRES AF PO Box 95632 Chicago, IL 60694-5632

SELLER'S PROTECTION PLAN SUMMARY SHEET

What's Covered? This policy will pay on behalf of you, the seller, all amounts, including defense costs, up to \$25,000 over the \$2,500 retention, which you, the seller, become legally obligated to pay as a result of a covered circumstance. The covered circumstance must occur and claim must be made and reported within the coverage period. A covered circumstance means a lawsuit, arbitration or mediation proceeding, or alternate dispute resolution proceeding to which you submit, with our consent, instituted against you by the buyer, resulting from actual or alleged undisclosed defects in residential property which is your principal residence. For your coverage to be valid your broker's policy with us must be in effect at the time of the completed contract (your closing) and when claim is made against seller.

What's Not Covered? All insurance products have exclusions, or situations they don't cover. The major exclusions in this coverage include:

- · Intentional, dishonest or fraudulent act(s) committed by you or on your behalf
- Covered circumstances of which you had knowledge prior to closing
- · Claims by you against your real estate broker and/or agent
- · Claims involving escrow monies
- Claims for damages to the residential property sustained subsequent to closing escrow
- · Claims against you not involving your principal residence.

How Does It Work? Because your real estate broker cares about your peace of mind, you will be automatically enrolled in the SPP program. Coverage begins on the date of the completed contract (closing) and continues for 180 days. You have the option to extend your coverage for an additional 180 days, for a total of 360 days. If you wish to extend your coverage, you must complete the attached installment form and mail it along with your check and closing statement within fifteen (15) days of the close of escrow. You may also contact CRES at 1-858-618-1648. No additional extensions are available. The premium to extend your coverage for an additional 180 days is \$100 (\$200 in California) paid by you. The premium paid for the SPP is fully earned and non-refundable.

What Do I Do in the Event of a Claim? Since you are working with a highly professional real estate broker, we are confident you won't have any problems. If a problem develops between you and the buyer, please call us as soon as possible at 1-858-618-1648. Don't wait until it becomes a lawsuit. Early intervention is often the key to a favorable outcome.

THIS DOCUMENT IS AN OVERVIEW AND SUMMARY OF COVERAGE, FOR A COPY OF THE ACTUAL ENDORSEMENT AND ALL TERMS AND CONDITIONS WHICH APPLY, CONTACT CRES AT 1-858-618-1648.

Your Agent/Broker has a business relationship with the Real Estate Services Council Risk Purchasing Group, which is a casualty insurance buying and risk management collective. Through this relationship, in addition to the protection you receive, your Agent/Broker may also receive more protection because your home warranty belongs to a class of warranties that afford superior protection. This additional protection is in the form of a reduced deductible in case there is a claim for money or services arising from their representation in the purchase and sale of your home.

CRES A Gallagher Affinity Division | P0 Box 29502 #69121 Las Vegas, NV 89126 (P) 858.618.1648 (F) 858.618.1655 | cresinsurance.com | info@cresinsurance.com

